

N/A	Risk Assessment MH RA-046
	Hazard COVID-19 Coronavirus
	Associated with (Work Activity) All visits & work activities
	Who Is At Risk? Employees, Visitors, Contractors.

Risk of:

- Spread of COVID-19 Coronavirus

Assessment

Likelihood	Severity					Risk Rating		
	5 Major	4 Serious	3 Moderate	2 Minor	1 Negligible	LOW	MED	HIGH
5 Probable								X
4 Likely		X						
3 Possible								
2 Unlikely								
1 V Unlikely								

Countermeasures

1. Antibacterial wipes supplied for cleaning surfaces, also placed in locations within the premises
2. Antibacterial liquid spray supplied for cleaning, also placed in locations within the premises
3. Antibacterial hand sanitizer supplied, also placed in locations within the premises
4. Antibacterial hand soap supplied, also placed in locations within the premises
5. Hot water available
6. Social distancing of 2mtrs to be observed (where possible)
7. Shielding/PPE available where 2mtr social distancing not possible
8. PPE available and supplied
9. Restricted movement within the building
10. Use of canteens restricted
11. Warning and request signage displayed around the premises
12. Staff attending the workplace with an underlying health issues are to be individually Risk assessed
13. Any person with symptoms (cough/high temperature) must advise management (person/s to be sent home and advised to follow the home guidance)
14. Health & Safety Guidance Notes to be handed to staff & visitors
15. Areas supervised to ensure Arrangements are adhered to
16. Drivers of company vehicles are to have safe working procedures put in place
17. Visitors access and movements restricted
18. Waste disposed of appropriately and not allowed to accumulate
19. Line managers to remain in contact with any member of their staff during their self isolation
20. Line management to promote mental health wellbeing to staff and offer support

Risk Reduction with Countermeasures		
LOW	MED	HIGH
	X	
Work Equipment and PPE Required/Supplied		
Gloves Face mask Antibacterial cleaning agents Antibacterial hand sanitizer Antibacterial hand soap and hot water		

This Assessment has been carried out, agreed, and approved by the under named personnel.		
Carried out by:	D JOHNSTON	
Agreed by:		
Approved by:	J Dracup	

Risk Assessment Number: MH RA-008A	Department: WAREHOUSE
Carried out By: Competent Person – D JOHNSTON Site Advice –	Reviewed Date: Feb 2019 Next review: Feb 2022